

Corner Inlet

Commercial value for each major species caught in Corner Inlet during 1978/79–2011/12

Value is estimated from Melbourne Fish Market auction prices.

Year	Value (\$'000)														Total
	Australian salmon	Calamari, Southern (squid)	Flathead, rock	Flathead, southern sand	Flounder, greenback	Garfish, Southern (Sea)	Leatherjacket	Mullet, yelloweye	Shark, gummy	Pike, unspecified	Trevally, silver	Whiting, blue weed	Whiting, King George	Other	
1978/79	14	0	16	3	80	48	0	10	21	5	2	0	162	22	383
1979/80	83	0	11	5	135	52	0	14	28	2	2	0	61	9	402
1980/81	116	3	11	7	68	57	0	16	39	2	5	0	189	24	537
1981/82	44	4	10	8	47	91	0	28	16	1	9	0	211	11	480
1982/83	98	6	13	7	91	71	1	19	12	1	9	0	198	13	539
1983/84	9	6	13	11	107	50	0	13	15	1	3	0	187	13	428
1984/85	43	6	14	9	118	91	0	16	12	2	4	0	88	15	418
1985/86	4	25	34	14	80	126	1	23	9	8	7	1	365	21	718
1986/87	4	65	23	16	35	156	1	24	11	6	11	2	628	20	1,002
1987/88	13	53	29	11	88	178	2	24	12	2	5	1	687	268	1,373
1988/89	0	57	35	19	79	173	1	18	22	2	21	3	696	163	1,289
1989/90	9	22	45	19	77	177	1	22	29	4	38	28	722	76	1,269
1990/91	10	72	60	25	31	242	8	22	40	3	22	48	451	102	1,136
1991/92	2	61	92	23	26	209	9	18	41	6	41	60	865	60	1,513
1992/93	4	81	135	16	49	153	10	21	41	21	32	7	669	98	1,337
1993/94	3	57	240	23	97	138	5	14	28	21	40	4	468	78	1,216
1994/95	5	45	192	17	66	214	6	18	29	7	25	1	413	190	1,228
1995/96	13	58	111	11	49	174	8	19	56	12	36	3	537	47	1,134
1996/97	25	45	85	17	93	103	12	24	61	21	16	4	745	75	1,326
1997/98	44	37	100	25	129	164	6	23	69	15	24	5	604	55	1,300
1998/99	16	93	80	10	87	180	6	22	73	18	47	16	687	43	1,378
1999/00	5	129	115	11	46	279	11	24	50	29	67	19	687	41	1,513
2000/01	9	234	155	12	39	295	22	20	87	17	51	8	430	61	1,440
2001/02	23	188	176	17	59	326	21	14	52	13	147	2	453	79	1,570
2002/03	7	207	179	12	48	315	30	16	67	19	78	1	570	49	1,598
2003/04	4	286	125	9	75	394	15	11	60	21	47	3	815	53	1,918
2004/05	11	227	184	12	112	426	10	23	83	21	61	2	726	58	1,956
2005/06	11	233	255	11	109	291	15	12	117	17	60	8	548	71	1,758
2006/07	23	248	227	id	82	351	11	12	97	9	97	8	1,048	69	2,290
2007/08	22	278	195	19	77	309	10	19	99	17	172	17	1,324	82	2,640
2008/09	13	380	348	24	81	299	11	29	117	49	223	15	890	200	2,679
2009/10	8	382	614	25	57	312	19	51	99	26	102	13	625	168	2,501
2010/11	nd ¹	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
2011/12	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd

²nd, no data obtained.

Gippsland Lakes and Lake Tyers

Commercial catch for each major species caught in Gippsland Lakes and Lake Tyers during 1978/79–2011/12

Year	Production (tonnes)															
	Anchovy, Australian (whitebait)	Australian salmon	Bream, black	Carp, European	Flathead, dusky	Garfish, river	Leatherjacket	Luderick	Mullet, sea	Mullet, yelloweye	Mussel, blue	Perch, estuary	Tailor	Trevally, silver	Other	Total
1978/79	21	4	183	189	6	0	0	13	12	126	0	0	37	10	45	646
1979/80	0	4	194	233	12	1	1	13	37	91	0	2	55	13	38	694
1980/81	53	3	231	175	24	7	4	21	3	81	0	1	51	14	57	725
1981/82	5	3	255	367	26	51	8	28	7	106	0	1	45	17	32	951
1982/83	9	2	278	189	30	21	6	31	8	77	0	0	19	18	30	718
1983/84	27	18	446	105	26	31	0	14	2	97	0	1	13	19	45	844
1984/85	84	8	235	60	35	17	0	13	3	80	1	0	19	11	17	583
1985/86	14	16	274	176	65	6	0	21	7	92	1	0	24	30	48	774
1986/87	40	14	197	262	28	1	1	21	28	79	3	0	20	19	34	747
1987/88	0	12	277	373	25	2	8	39	13	97	2	1	22	10	37	918
1988/89	28	10	206	356	8	3	1	39	12	157	55	1	58	44	63	1,041
1989/90	18	16	213	401	11	17	1	49	15	114	78	7	53	63	130	1,186
1990/91	0	5	167	400	7	12	1	28	14	113	66	4	29	36	54	936
1991/92	0	25	118	367	9	6	0	31	14	90	169	1	35	39	59	963
1992/93	0	1	178	379	13	0	0	37	19	94	100	0	27	13	38	899
1993/94	1	13	170	352	5	1	0	23	28	95	24	3	10	22	39	786
1994/95	10	21	130	334	4	1	1	13	10	62	29	1	13	10	39	678
1995/96	12	11	130	376	6	0	0	15	11	87	18	2	8	9	36	721
1996/97	11	15	89	478	2	0	1	10	11	82	9	0	9	11	37	765
1997/98	8	17	147	575	1	1	2	14	5	26	1	1	9	12	75	894
1998/99	11	13	164	658	1	2	1	13	5	74	0	4	25	19	33	1,023
1999/00	0	19	181	494	2	3	1	11	7	41	1	1	33	13	58	865
2000/01	0	8	148	397	7	2	2	9	14	30	0	2	46	21	63	749
2001/02	4	13	137	463	14	1	2	14	28	44	0	2	48	19	37	826
2002/03 ¹	7	5	26	469	15	1	2	13	4	57	0	0	71	13	89	772
2003/04	6	22	33	424	12	0	4	20	11	49	0	1	59	16	41	698
2004/05	6	30	31	439	13	8	2	16	6	36	3	1	39	31	33	694
2005/06	id ²	13	37	251	48	id	1	21	5	22	1	1	14	14	47	494
2006/07	id	10	49	id	35	id	2	24	7	14	0	0	12	13	57	364
2007/08	0	2	144	64	30	id	id	43	9	24	0	2	13	7	18	356
2008/09	id	4	36	105	20	id	id	12	3	18	0	2	34	8	17	259
2009/10	id	6	37	25	16	id	1	8	3	11	1	0	15	10	82	218
2010/11	0	4	60	61	23	id	1	11	5	17	0	0	39	12	38	291
2011/12	0	2	96	30	23	id	id	12	8	22	id	2	22	7	20	267

¹Lake Tyers fishery was closed in April 2003.

²id, insufficient data to report because there are less than five licence holders (policy requirement to protect commercial confidentiality of data), and the data have been included as 'other'.

Gippsland Lakes and Lake Tyers

Commercial value for each major species caught in Gippsland Lakes and Lake Tyers during 1978/79–2011/12

Value is estimated from Melbourne Fish Market auction prices and selected fish processors.

Year	Value (\$'000)															
	Anchovy, Australian (whitebait)	Australian salmon	Bream, black	Carp, European	Flathead, dusky	Garfish, river	Leatherjacket	Luderick	Mullet, sea	Mullet, yelloweye	Mussel, blue	Perch, estuary	Tailor	Trevally, silver	Other	Total
1978/79	12	4	406	59	3	1	0	9	10	85	0	0	21	9	313	932
1979/80	0	4	382	87	10	2	1	9	31	72	0	7	36	13	492	1,146
1980/81	59	2	439	71	12	11	4	14	3	60	0	5	40	14	555	1,289
1981/82	7	2	495	172	19	81	7	14	5	76	0	3	32	16	404	1,333
1982/83	7	2	576	92	17	36	5	15	7	59	0	1	16	15	304	1,152
1983/84	25	15	835	55	20	59	0	9	1	83	0	3	12	14	505	1,636
1984/85	107	7	608	34	27	37	1	8	3	67	0	0	15	8	180	1,102
1985/86	21	18	781	106	60	19	0	16	6	91	1	1	24	30	239	1,413
1986/87	91	19	854	176	34	5	1	16	25	86	4	0	26	26	204	1,567
1987/88	0	15	1,122	291	35	6	12	30	17	100	3	5	27	15	274	1,952
1988/89	40	13	862	359	14	11	3	23	13	151	122	6	59	47	387	2,110
1989/90	22	19	1,025	301	16	50	2	43	22	128	212	55	66	74	341	2,376
1990/91	0	7	803	268	10	33	1	25	24	88	174	29	29	40	310	1,841
1991/92	0	34	606	230	15	17	1	26	24	85	406	5	43	49	382	1,923
1992/93	0	1	829	219	25	1	0	35	34	103	229	3	39	17	90	1,625
1993/94	1	16	919	200	8	4	0	27	61	91	74	16	17	32	124	1,590
1994/95	7	28	842	250	6	3	1	20	28	62	66	4	24	20	168	1,529
1995/96	13	22	983	254	9	1	1	24	27	77	36	21	15	17	141	1,641
1996/97	15	20	737	364	3	2	1	18	16	85	23	5	20	17	132	1,458
1997/98	16	24	1,114	537	2	4	3	18	5	30	2	11	14	21	517	2,318
1998/99	24	16	1,310	475	1	5	1	16	6	76	0	43	47	35	541	2,596
1999/00	0	19	1,091	416	2	13	1	16	10	40	1	16	60	22	845	2,552
2000/01	1	9	1,029	331	10	8	3	13	17	36	0	15	107	52	909	2,540
2001/02	10	11	958	416	31	5	5	19	33	46	0	14	111	48	538	2,245
2002/03 ¹	20	7	242	545	30	10	5	20	5	66	0	1	211	34	1,100	2,296
2003/04	15	20	340	508	27	2	9	31	22	58	0	14	163	37	538	1,784
2004/05	8	31	292	549	26	37	4	18	9	52	8	9	150	75	359	1,627
2005/06	id ²	19	386	328	145	id	3	26	9	30	2	5	49	41	369	1,483
2006/07	id	16	526	id	140	id	5	34	18	20	2	4	58	47	537	1,682
2007/08	0	3	1,243	70	98	id	id	50	21	34	0	16	60	25	115	1,737
2008/09	id	3	397	120	88	id	id	26	4	31	0	28	134	31	147	1,013
2009/10	id	4	431	62	62	id	5	16	10	20	2	2	68	34	414	1,138
2010/11	nd ³	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
2011/12	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd

¹Lake Tyers fishery was closed in April 2003.

²id, insufficient data to report because there are less than five licence holders (policy requirement to protect commercial confidentiality of data), and the data have been included as 'other'; ³nd, no data obtained.

Offshore

Commercial catch for each major species caught offshore during 1978/79–2011/12

Excludes landings from Commonwealth waters by the South East Fishery and Southern Shark Fishery.

Year	Production (tonnes)															
	Australian salmon	Bug (Shovelnose lobster)	Barracouta	Crab, sand	Morwong, banded	Octopuses	Prawn, eastern king	Shark, gummy	Snapper	Trevally, silver	Whiting, King George	Wrasse, blue throat	Wrasse, purple	Wrasses	Other	Total
1978/79	135	0	11	0	0	0	0	12	10	2	1	0	0	0	979	1,150
1979/80	42	0	4	1	0	1	0	2	4	1	0	0	0	0	859	914
1980/81	7	0	3	0	0	0	0	1	1	0	0	0	0	0	83	95
1981/82	25	0	8	0	0	0	0	7	2	0	2	0	0	3	34	81
1982/83	30	0	4	0	0	0	0	3	2	3	2	0	0	0	74	118
1983/84	191	0	22	0	0	0	0	2	4	27	3	1	0	2	5,341	5,593
1984/85	153	0	34	0	0	0	0	2	7	4	1	0	0	1	2,047	2,249
1985/86	175	0	8	0	0	0	0	2	11	4	1	0	0	0	135	336
1986/87	270	0	48	0	0	0	0	1	5	3	1	0	0	1	224	553
1987/88	165	0	77	0	0	1	0	14	6	3	2	0	0	2	459	729
1988/89	146	0	57	0	0	0	0	2	6	3	3	0	0	2	1,019	1,238
1989/90	25	0	9	0	0	0	0	4	11	5	4	1	0	6	1,409	1,474
1990/91	126	0	15	0	0	1	0	5	12	6	5	1	0	4	1,531	1,706
1991/92	279	0	25	0	0	1	0	4	15	5	5	3	0	11	1,756	2,104
1992/93	194	1	5	0	0	3	0	2	15	5	4	3	0	22	2,143	2,397
1993/94	70	0	4	0	0	0	0	2	12	3	3	4	0	22	2,069	2,189
1994/95	267	0	4	0	2	0	0	3	8	7	5	6	0	48	2,871	3,221
1995/96	255	0	8	0	0	0	0	2	6	6	3	4	0	62	1,632	1,978
1996/97	211	0	15	1	0	3	0	5	10	9	4	7	1	46	675	987
1997/98	640	6	24	0	4	3	3	7	18	5	5	16	6	55	563	1,355
1998/99	626	14	25	47	12	6	38	25	31	17	12	18	13	58	394	1,336
1999/00	685	11	34	92	12	29	74	20	22	19	9	14	10	35	210	1,276
2000/01	397	14	19	87	10	19	142	6	26	22	7	13	5	28	730	1,525
2001/02	478	40	39	38	10	13	108	9	18	14	4	14	5	33	866	1,689
2002/03	276	25	24	9	9	7	33	5	10	16	5	15	7	28	1,285	1,754
2003/04	326	15	26	21	11	18	45	3	8	11	4	10	8	24	946	1,476
2004/05	459	13	12	6	6	5	5	4	10	16	2	13	2	24	732	1,309
2005/06	604	13	13	id ¹	id	3	12	3	11	5	2	12	4	20	887	1,592
2006/07	856	5	5	id	id	1	18	4	9	3	4	10	4	21	938	1,882
2007/08	395	4	7	8	id	3	15	4	14	7	8	13	4	20	1,633	2,139
2008/09	358	13	4	4	id	5	21	3	6	6	5	9	4	21	1,565	2,027
2009/10	590	13	3	1	id	4	67	3	4	1	3	9	1	13	1,366	2,081
2010/11	352	16	1	id	id	6	47	3	6	3	2	7	2	17	2,710	3,173
2011/12	709	12	1	7	2	7	9	4	38	3	3	7	1	20	1,924	2,747

¹id, insufficient data to report because there are less than five licence holders (policy requirement to protect commercial confidentiality of data), and the data have been included as 'other'.

Offshore

Commercial value for each major species caught offshore during 1978/79–2011/12

Excludes landings from Commonwealth waters by the South East Fishery and Southern Shark Fishery.

Value is estimated from Melbourne Fish Market auction prices.

Year	Value (\$'000)															Total
	Australian salmon	Bug (Shovelnose lobster)	Barracouta	Crab, sand	Morwong, banded	Octopuses	Prawn, eastern king	Shark, gummy	Snapper	Trevally, silver	Whiting, King George	Wrasse, blue throat	Wrasse, purple	Wrasses	Other	
1978/79	114	0	9	0	0	0	1	25	30	2	3	0	0	0	837	1,021
1979/80	47	0	3	1	0	1	2	5	11	1	1	0	0	0	553	625
1980/81	7	0	2	0	0	0	0	1	3	0	1	0	0	0	96	110
1981/82	22	0	7	0	0	0	0	18	7	0	12	0	0	8	50	124
1982/83	25	0	3	0	0	0	0	9	6	2	12	0	0	1	104	162
1983/84	160	0	17	0	0	0	0	5	15	16	14	3	0	11	3,931	4,172
1984/85	143	0	28	0	0	0	0	7	28	3	8	1	0	4	1,339	1,561
1985/86	190	1	8	0	0	0	0	6	51	4	6	2	0	2	234	504
1986/87	310	0	56	0	0	0	0	5	31	3	4	0	0	1	335	745
1987/88	229	0	88	0	0	2	0	64	35	6	19	0	0	1	854	1,298
1988/89	150	0	61	0	0	0	0	12	37	3	22	0	0	2	1,543	1,830
1989/90	25	0	9	0	0	0	0	19	67	5	24	1	0	5	2,143	2,298
1990/91	168	0	13	0	0	1	0	24	76	7	37	1	0	3	1,616	1,946
1991/92	395	0	20	0	0	3	0	22	95	7	34	2	0	8	2,292	2,878
1992/93	188	7	4	0	0	4	0	10	104	6	31	3	0	17	3,054	3,428
1993/94	82	0	4	0	0	0	0	15	88	5	30	5	0	26	2,586	2,841
1994/95	335	0	4	0	19	1	0	22	63	13	54	32	0	255	3,123	3,921
1995/96	388	0	10	0	2	1	0	19	51	10	27	40	0	560	1,999	3,107
1996/97	307	0	16	2	2	6	0	38	71	13	28	66	7	416	1,138	2,110
1997/98	608	41	34	2	42	6	28	51	134	11	29	145	53	492	785	2,461
1998/99	727	98	30	219	132	17	376	178	207	26	89	165	115	546	1,076	4,001
1999/00	627	61	33	275	185	93	948	147	149	18	87	141	98	353	732	3,947
2000/01	440	104	21	243	206	67	1,845	50	187	61	83	132	49	283	1,257	5,028
2001/02	425	297	38	130	245	43	1,402	74	134	39	61	145	50	327	2,516	5,926
2002/03	399	189	27	34	206	27	427	44	80	53	59	148	73	277	5,047	7,090
2003/04	230	124	28	68	248	42	589	28	61	26	46	104	83	239	1,284	3,200
2004/05	478	97	11	26	139	18	69	33	67	34	26	144	27	286	1,044	2,499
2005/06	880	111	19	id ¹	id	13	151	29	77	14	31	137	46	237	1,161	2,977
2006/07	1,315	47	7	id	id	4	234	35	67	9	49	120	50	245	1,302	3,591
2007/08	551	31	7	32	id	20	102	37	101	26	118	161	45	254	1,854	3,442
2008/09	326	150	6	18	id	29	147	34	52	25	102	132	62	308	1,495	2,977
2009/10	401	142	4	3	id	22	471	29	31	4	51	134	17	193	1,078	2,662
2010/11	nd ²	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
2011/12	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd

¹id, insufficient data to report because there are less than five licence holders (policy requirement to protect commercial confidentiality of data), and the data have been included as 'other'; ²nd, no data obtained.

Southern Rock Lobster (Western Zone)

Catch, effort and value by quota year (April–March) during 1981/82–2009/10 (July–June) during 2009/10–2011/12.

Western Zone - South Australian border to Longitude 143° 40' E (just east of Apollo Bay).

Total Allowable Catch (TAC) quota management was introduced 16 November 2001.

Season Totals	Quota Year	Pot-lifts (‘000)	Weight (tonnes)	Number (‘000)	Target pot-lifts (‘000)	Target weight (tonnes)	Target catch rate (kg/pot-lift)	Mean weight (kg)	Value (\$‘000)	TAC
1981/82	1 Apr-31 Mar	621	485	484	587	468	0.80	1.00	3,302	
1982/83	1 Apr-31 Mar	571	447	443	550	436	0.79	1.01	3,437	
1983/84	1 Apr-31 Mar	590	441	430	565	426	0.75	1.02	3,554	
1984/85	1 Apr-31 Mar	523	390	379	507	382	0.75	1.03	3,797	
1985/86	1 Apr-31 Mar	540	339	341	516	328	0.64	0.99	4,408	
1986/87	1 Apr-31 Mar	562	329	331	522	315	0.60	0.99	5,095	
1987/88	1 Apr-31 Mar	569	348	348	539	334	0.62	1.00	6,450	
1988/89	1 Apr-31 Mar	517	281	286	504	276	0.55	0.98	4,787	
1989/90	1 Apr-31 Mar	596	321	348	564	306	0.54	0.92	6,364	
1990/91	1 Apr-31 Mar	589	297	313	548	277	0.50	0.95	6,005	
1991/92	1 Apr-31 Mar	690	390	422	646	366	0.57	0.92	7,595	
1992/93	1 Apr-31 Mar	726	401	427	650	362	0.56	0.94	8,400	
1993/94	1 Apr-31 Mar	770	454	469	700	430	0.61	0.97	12,827	
1994/95	1 Apr-31 Mar	759	437	444	720	421	0.58	0.98	12,991	
1995/96	1 Apr-31 Mar	771	429	448	744	420	0.56	0.96	12,883	
1996/97	1 Apr-31 Mar	761	394	407	721	380	0.53	0.97	12,180	
1997/98	1 Apr-31 Mar	821	452	472	760	426	0.56	0.96	14,531	
1998/99	1 Apr-31 Mar	836	492	534	748	428	0.57	0.92	14,964	
1999/00	1 Apr-31 Mar	861	515	581	767	446	0.58	0.89	16,125	
2000/01	1 Apr-31 Mar	918	554	632	817	478	0.59	0.88	19,525	
2001/02	1 Apr-31 Mar	769	446	514	726	401	0.55	0.87	19,195	320
2002/03	1 Apr-31 Mar	677	438	505	656	404	0.62	0.87	17,015	450
2003/04	1 Apr-31 Mar	615	435	502	599	428	0.71	0.87	12,159	450
2004/05	1 Apr-31 Mar	638	419	465	608	403	0.66	0.90	12,374	450
2005/06	1 Apr-31 Mar	738	405	451	710	395	0.56	0.90	13,927	450
2006/07	1 Apr-31 Mar	687	325	375	662	317	0.48	0.87	12,820	450
2007/08	1 Apr-31 Mar	685	319	373	647	307	0.47	0.86	12,526	380
2008/09	1 Apr-31 Mar	587	241	275	555	234	0.42	0.88	11,822	320
2009/10	1 July- 30 June	611	230	265	582	223	0.38	0.87	12,154	240
2010/11	1 July- 30 June	546	235	284	524	231	0.44	0.83	11,871	240
2011/12	1 July- 30 June	489	236	286	473	232	0.49	0.83	13,965	240

Southern Rock Lobster (Western Zone)

Catch, effort and value by month during quota year (July–June) 2011/12

Year	Month	Pot-lifts (‘000)	Weight (tonnes)	Number (‘000)	Target pot-lifts (‘000)	Target weight (tonnes)	Target catch rate (kg/pot-lift)	Mean weight (kg)	Value (\$‘000)
2011	July	40	14	17	38	14	0.37	0.86	885
2011	August	72	24	28	71	23	0.33	0.84	1,391
2011	September	25	8	10	25	8	0.33	0.85	523
2011	November	36	21	27	35	21	0.59	0.76	1,298
2011	December	76	47	58	74	46	0.62	0.81	2,667
2012	January	63	40	47	61	39	0.64	0.84	2,511
2012	February	64	36	44	62	36	0.58	0.82	2,011
2012	March	52	24	29	50	24	0.47	0.84	1,382
2012	April	34	13	16	31	12	0.39	0.85	742
2012	May	18	6	7	17	6	0.35	0.89	376
2012	June	10	3	3	9	3	0.3	0.9	179

Target pot-lifts is determined by allocating all effort to the species with catch greater than 70% of total catch prior to April 1998, but from April 1998 target species is specified in the logbooks.

Giant Crab (Western Zone)

Catch, effort and value by quota year (April–March) during 1981/82–2011/12

Western Zone - the South Australian border to Longitude 143° 40' E (just east of Apollo Bay).

Total Allowable Catch (TAC) quota management was introduced 16 November 2001.

Season Totals	Quota Year	Weight (tonnes)	Number ('000)	Target pot-lifts ('000)	Target weight (tonnes)	Target catch rate (kg/pot-lift)	Mean weight (kg)	Value (\$'000)	TAC
1981/82	1 Apr-31 Mar	1	0	0	0	0.05	0.00	4	
1982/83	1 Apr-31 Mar	0	0	0	0	0	0.00	3	
1983/84	1 Apr-31 Mar	0	0	0	0	0.75	0.00	3	
1984/85	1 Apr-31 Mar	3	0	0	0	0.02	0.00	15	
1985/86	1 Apr-31 Mar	2	0	0	0	0.19	0.00	8	
1986/87	1 Apr-31 Mar	4	0	1	0	0.38	0.00	47	
1987/88	1 Apr-31 Mar	6	0	0	0	0.17	0.00	31	
1988/89	1 Apr-31 Mar	4	0	0	0	0.22	0.00	18	
1989/90	1 Apr-31 Mar	5	0	3	1	0.31	0.00	19	
1990/91	1 Apr-31 Mar	14	0	6	6	1.03	0.00	64	
1991/92	1 Apr-31 Mar	46	0	10	30	2.93	0.00	202	
1992/93	1 Apr-31 Mar	146	0	30	123	4.14	0.00	680	
1993/94	1 Apr-31 Mar	171	0	35	159	4.55	0.00	1,254	
1994/95	1 Apr-31 Mar	67	0	17	53	3.15	0.00	912	
1995/96	1 Apr-31 Mar	30	0	12	20	1.68	0.00	394	
1996/97	1 Apr-31 Mar	58	0	19	41	2.2	0.00	1,505	
1997/98	1 Apr-31 Mar	58	0	25	35	1.41	0.00	1,613	
1998/99	1 Apr-31 Mar	51	10	17	22	1.28	0.00	1,591	
1999/00	1 Apr-31 Mar	35	10	14	20	1.44	3.37	1,277	
2000/01	1 Apr-31 Mar	25	7	7	11	1.59	3.31	784	
2001/02	1 Apr-31 Mar	9	3	5	7	1.38	3.19	311	18
2002/03	1 Apr-31 Mar	9	3	7	7	0.98	3.21	288	25
2003/04	1 Apr-31 Mar	12	4	6	11	1.93	2.83	270	25
2004/05	1 Apr-31 Mar	27	9	11	20	1.73	2.88	705	25
2005/06	1 Apr-31 Mar	21	8	13	19	1.52	2.62	705	25
2006/07	1 Apr-31 Mar	22	7	10	20	2.07	3.05	725	25
2007/08	1 Apr-31 Mar	23	8	15	21	1.36	2.88	586	25
2008/09	1 Apr-31 Mar	20	6	11	17	1.53	3.28	705	25
2009/10	1 July-30 June	18	5	10	16	1.59	3.34	719	25
2010/11	1 July-30 June	12	4	9	11	1.23	3.13	357	18
2011/12	1 July-30 June	13	4	7	11	1.7	3.56	nd ¹	18

¹nd, no data obtained.**Giant Crab (Western Zone)**

Catch, effort and value by month during quota year (July–June) 2011/12

Year	Month	Weight (tonnes)	Number ('000)	Target pot-lifts ('000)	Target weight (tonnes)	Target catch rate (kg/pot-lift)	Mean weight (kg)	Value (\$'000)
2011	July	id ¹	id	id	id	id	id	id
2011	August	0	0	0	0	0	0	0
2011	September	0	0	0	0	0	0	0
2011	November	id	id	id	id	id	id	id
2011	December	id	id	id	id	id	id	id
2012	January	2	0	1	2	2.07	3	0
2012	February	2	0	1	2	2.14	3	0
2012	March	id	id	id	id	id	id	id
2012	April	id	id	id	id	id	id	id
2012	May	id	id	id	id	id	id	id
2012	June	id	id	id	id	id	id	id

Target species is specified in the logbooks.

¹id, insufficient data to report because there are less than five licence holders (policy requirement to protect commercial

Southern Rock Lobster (Eastern Zone)

Catch, effort and value by quota year (April–March) during 1981/82–2009/10, (July–June) during 2009/10–2011/12.

Eastern Zone - Longitude 143° 40' E (just east of Apollo Bay) to the New South Wales border.

Total Allowable Catch (TAC) quota management was introduced 16 November 2001.

Season Totals	Quota Year	Pot-lifts (‘000)	Weight (tonnes)	Number (‘000)	Catch rate (kg/pot-lift)	Mean weight (kg)	Value (\$'000)	TAC
1981/82	1 Apr-31 Mar	201	149	138	0.73	1.08	1,031	
1982/83	1 Apr-31 Mar	199	140	129	0.71	1.08	1,083	
1983/84	1 Apr-31 Mar	231	149	138	0.63	1.08	1,230	
1984/85	1 Apr-31 Mar	223	136	116	0.61	1.17	1,337	
1985/86	1 Apr-31 Mar	191	111	94	0.57	1.18	1,470	
1986/87	1 Apr-31 Mar	159	96	82	0.56	1.17	1,510	
1987/88	1 Apr-31 Mar	147	89	80	0.58	1.10	1,668	
1988/89	1 Apr-31 Mar	159	79	79	0.52	1.00	1,347	
1989/90	1 Apr-31 Mar	191	93	95	0.47	0.98	1,824	
1990/91	1 Apr-31 Mar	179	75	75	0.42	0.99	1,604	
1991/92	1 Apr-31 Mar	166	65	66	0.40	0.98	1,356	
1992/93	1 Apr-31 Mar	190	65	62	0.35	1.04	1,379	
1993/94	1 Apr-31 Mar	257	83	72	0.33	1.16	2,437	
1994/95	1 Apr-31 Mar	248	70	57	0.29	1.22	2,160	
1995/96	1 Apr-31 Mar	227	62	51	0.28	1.20	1,955	
1996/97	1 Apr-31 Mar	212	56	45	0.27	1.24	1,774	
1997/98	1 Apr-31 Mar	221	67	54	0.31	1.24	2,259	
1998/99	1 Apr-31 Mar	212	63	53	0.29	1.19	1,972	
1999/00	1 Apr-31 Mar	233	75	71	0.31	1.06	2,406	
2000/01	1 Apr-31 Mar	229	73	68	0.31	1.07	2,586	
2001/02	1 Apr-31 Mar	173	59	55	0.30	1.08	2,595	42
2002/03	1 Apr-31 Mar	139	50	45	0.30	1.09	1,974	60
2003/04	1 Apr-31 Mar	127	54	50	0.41	1.07	1,574	60
2004/05	1 Apr-31 Mar	130	54	49	0.41	1.10	1,662	60
2005/06	1 Apr-31 Mar	136	55	47	0.41	1.17	1,921	60
2006/07	1 Apr-31 Mar	118	51	46	0.43	1.11	2,061	60
2007/08	1 Apr-31 Mar	136	50	42	0.37	1.17	1,962	66
2008/09	1 Apr-31 Mar	105	41	33	0.39	1.24	2,075	66
2009/10	1 July- 30 June	127	44	36	0.34	1.22	2,300	66
2010/11	1 July- 30 June	143	65	63	0.45	1.03	3,522	66
2011/12	1 July- 30 June	128	65	60	0.51	1.08	3,908	66

Southern Rock Lobster (Eastern Zone)

Catch, effort and value by month during quota year (July–June) 2011/12

Year	Month	Pot-lifts (‘000)	Weight (tonnes)	Number (‘000)	Catch rate (kg/pot-lift)	Mean weight (kg)	Value (\$'000)
2011	July	14	6	5	0.42	1.15	363
2011	August	24	10	10	0.44	1.03	614
2011	September	8	4	4	0.49	0.97	251
2011	November	10	6	6	0.55	0.92	354
2011	December	22	13	12	0.61	1.07	750
2012	January	18	12	10	0.61	1.17	770
2012	February	9	4	4	0.61	1.13	248
2012	March	6	3	2	0.61	1.11	146
2012	April	6	3	3	0.61	1.14	163
2012	May	7	3	2	0.61	1.19	176
2012	June	4	1	1	0.61	1.41	74

Abalone

Catch and effort by quota year (April–March) and zone during 1995/96–2011/12

Total Allowable Commercial Catch (TACC) quota management was introduced for the commercial fishery on 1 April 1988.

Western Zone—all Victorian waters west of longitude 148° E (Hopkins River mouth). Central Zone—all Victorian waters

between longitude 142° 31' E and 148° E. Eastern Zone—all Victorian waters east of longitude 148° E (Lakes Entrance).

Quota year	Western Zone			Central Zone			Eastern Zone			Total		
	Diver hours	Abalone tonnes	Average kg/hour	Diver hours	Abalone tonnes	Average kg/hour	Diver hours	Abalone tonnes	Average kg/hour	Diver hours	Abalone tonnes	Average kg/hour
1995/96	4,374	280	64	10,064	700	70	5,639	460	82	20,077	1,440	72
1996/97	3,786	278	73	8,744	698	80	5,521	460	83	18,051	1,437	80
1997/98	3,477	265	76	8,438	697	83	5,437	460	85	17,352	1,422	82
1998/99	3,542	280	79	7,763	699	90	5,391	460	85	16,696	1,440	86
1999/00	3,573	280	78	7,757	696	90	5,423	460	85	16,754	1,436	86
2000/01	3,205	280	87	7,299	697	95	5,023	459	91	15,527	1,436	92
2001/02	3,304	280	85	7,244	698	96	4,972	460	92	15,521	1,437	93
2002/03	3,340	264	79	6,979	664	95	5,267	456	87	15,586	1,384	89
2003/04	2,377	271	114	5,405	667	123	5,111	488	95	12,893	1,426	111
2004/05	2,655	254	96	6,497	616	95	3,086	488	158	12,238	1,358	111
2005/06	3,061	221	72	7,186	618	86	4,647	489	105	14,894	1,328	89
2006/07	2,285	168	74	8,155	613	75	4,414	479	109	14,855	1,261	85
2007/08	1,368	113	83	7,972	591	74	4,506	490	109	13,845	1,195	86
2008/09	948	49	51	5,811	465	80	4,476	487	109	11,235	1,001	89
2009/10	1,038	54	52	5,416	428	79	4,367	459	105	10,820	942	87
2010/11	1,095	54	49	4,179	301	72	4,017	427	106	9,291	781	84
2011/12	1,274	56	44	4,416	331	75	3,895	433	111	9,585	819	85

History of TACs for each zone.

	TACC (tonnes)		
	Western Zone	Central Zone	Eastern Zone
April 1998 to March 1999	280	700	460
April 1999 to March 2000	280	700	460
April 2000 to March 2001	280	700	460
April 2001 to March 2002	280	700	460
April 2002 to March 2003	266	665	465
April 2003 to March 2004	275	673	488
April 2004 to March 2005	254	617	488
April 2005 to March 2006	221	620	489
April 2006 to March 2007	168	620	489
April 2007 to May 2007	114	620	490
May 2007 to March 2008	114	570	490
May 2008 to March 2009	20	466	490
April 2009 to March 2010	26	432	460
April 2010 to March 2011	29	285	428
April 2011 to March 2012	43	332	432

Please Note: TAC for each zone does not include permit allowable catch.

Ports

Catch and value by port of landing for selected species groups during 2008/09–2011/12

'Other' includes shellfish, crustaceans and molluscs that do not appear in the species groups listed. Where less than five fishers have landed catch in a given port for a group of species, the data have been included in the total figure.

Port of landing	Financial year	Abalone		Rock lobster		Teleosts		Scallops		Chondrichthyans		Other		Total	
		Tonnes	\$000	Tonnes	\$000	Tonnes	\$000	Tonnes	\$000	Tonnes	\$000	Tonnes	\$000	Tonnes	\$000
Port MacDonnell	2008/09	nd ¹	nd	55	2,865	id ²	id	nd	nd	id	id	8	58	63	2,923
	2009/10	nd	nd	58	3,107	id	id	nd	nd	id	id	6	42	64	3,149
	2010/11	2	61	73	3,650	id	nd	nd	nd	id	nd	9	nd	84	3,733
	2011/12	3	101	72	4,264	id	nd	nd	nd	id	nd	8	nd	83	nd
Nelson to Portland	2008/09	31	914	63	3,291	11	86	nd	nd	id	id	31	825	136	5,116
	2009/10	21	515	67	3,537	8	45	nd	nd	2	9	18	559	116	4,665
	2010/11	15	427	73	3,689	3	nd	nd	nd	id	nd	15	nd	106	nd
	2011/12	10	325	65	3,868	3	nd	nd	nd	id	nd	72	nd	150	nd
Port Fairy to Warrnambool	2008/09	25	704	59	3,000	4	42	nd	nd	id	id	8	109	96	3,855
	2009/10	20	496	53	2,821	4	35	nd	nd	0	1	8	215	85	3,568
	2010/11	45	1,266	43	2,167	3	nd	nd	nd	id	nd	12	nd	103	nd
	2011/12	42	1,300	43	2,549	5	nd	nd	nd	id	nd	2	nd	92	nd
Port Campbell to Apollo Bay	2008/09	96	2,806	61	3,189	8	65	nd	nd	1	4	2	17	168	6,081
	2009/10	84	2,013	54	2,802	9	88	nd	nd	0	5	2	16	149	4,924
	2010/11	103	2,942	59	2,992	8	nd	nd	nd	1	nd	2	nd	173	nd
	2011/12	98	3,073	64	3,790	7	nd	nd	nd	1	nd	2	nd	172	nd
Lorne to Barwon Heads	2008/09	id	id	9	467	4	36	nd	nd	id	id	id	id	14	517
	2009/10	id	id	id	id	4	34	nd	nd	id	id	id	id	13	447
	2010/11	id	id	id	id	4	nd	nd	nd	id	nd	id	nd	16	nd
	2011/12	id	id	id	id	id	nd	nd	nd	id	nd	id	nd	14	nd
Queenscliff	2008/09	31	899	id	id	1	14	nd	nd	nd	nd	id	id	40	1,300
	2009/10	33	799	9	471	id	id	nd	nd	nd	nd	2	18	44	1,288
	2010/11	44	1,265	12	686	11	nd	nd	nd	id	nd	6	nd	73	nd
	2011/12	22	684	18	1,071	88	nd	nd	nd	4	nd	2	nd	134	nd

¹nd, no data; ²id, insufficient data to report because there are less than five licence holders (policy requirement to protect commercial confidentiality of data).

Ports

Catch and value by port of landing for selected species groups during 2008/09–2011/12 (continued)

Port of landing	Financial year	Abalone		Rock lobster		Teleosts		Scallops		Chondrichthyans		Other		Total	
		Tonnes	\$000	Tonnes	\$000	Tonnes	\$000	Tonnes	\$000	Tonnes	\$000	Tonnes	\$000	Tonnes	\$000
St. Leonards to	2008/09	nd ¹	nd	nd	nd	220	2,063	nd	nd	5	39	id ²	id	225	2,102
	2009/10	nd	nd	nd	nd	210	1,786	nd	nd	4	29	1	3	215	1,818
Geelong	2010/11	id	id	nd	nd	263	nd	nd	nd	4	nd	id	nd	268	nd
	2011/12	nd	nd	nd	nd	316	nd	nd	nd	5	nd	id	nd	321	nd
Werribee to	2008/09	52	1,543	nd	nd	238	1,213	nd	nd	2	12	id	id	292	2,770
	2009/10	37	907	id	id	423	1,233	nd	nd	2	13	1	48	463	2,201
Sorrento	2010/11	34	995	id	nd	220	nd	nd	nd	2	nd	id	nd	256	nd
	2011/12	31	965	nd	nd	386	nd	nd	nd	2	nd	id	nd	419	nd
Flinders to	2008/09	178	5,237	15	817	24	252	nd	nd	3	28	3	26	223	6,360
	2009/10	142	3,469	19	979	8	102	nd	nd	1	11	1	10	171	4,571
San Remo	2010/11	96	2,788	21	1,091	11	nd	nd	nd	1	nd	2	nd	131	nd
	2011/12	88	2,734	19	1,145	33	nd	nd	nd	4	nd	2	nd	146	nd
Inverloch to	2008/09	70	2,036	id	id	370	2,403	id	id	23	149	74	496	537	5,084
	2009/10	77	1,905	4	233	318	2,106	id	id	23	141	1	3	423	4,388
Port Albert	2010/11	65	1,888	7	389	301	nd	nd	nd	31	nd	1	nd	405	nd
	2011/12	51	1,591	9	556	298	nd	nd	nd	20	nd	1	nd	379	nd
Paynesville to	2008/09	nd	nd	id	id	2,002	2,490	337	862	4	14	59	481	2,402	3,847
	2009/10	nd	nd	id	id	2,026	1,968	id	id	4	18	188	1,145	2,218	3,131
Lake Tyers	2010/11	nd	nd	id	id	3,189	nd	nd	nd	3	nd	138	nd	3,330	nd
	2011/12	nd	nd	id	id	2,708	nd	nd	nd	5	nd	101	nd	2,814	nd
Tamboon to	2008/09	424	12,344	id	id	9	160	nd	nd	1	12	1	20	435	12,536
	2009/10	463	11,687	id	id	9	168	nd	nd	id	id	id	id	476	11,886
Eden	2010/11	420	12,121	id	id	7	nd	nd	nd	1	nd	id	nd	428	nd
	2011/12	409	12,719	id	id	5	nd	nd	nd	1	nd	id	nd	416	nd

¹nd, no data; ²id, insufficient data to report because there are less than five licence holders (policy requirement to protect commercial confidentiality of data).

Marketing, Scientific and Previously Used Names for Fishery Production

Marketing name	Scientific name	CAAB Code	Previously used species name
	Teleosts		Scalefish
Anchovy, Australian (whitebait)	<i>Engraulis australis</i>	37 086001	Anchovy, southern
Atlantic salmon	<i>Salmo salar</i>	37 094001	Atlantic salmon
Australian bass	<i>Macquaria novemaculeata</i>	37 311034	Australian bass
Australian herring	<i>Arripis georgianus</i>	37 344001	Ruff
Australian salmon	<i>Arripis trutta</i> & <i>A. truttaceus</i>	37 344900	Australian salmon
Australian Sardine (Pilchard)	<i>Sardinops sagax</i>	37 085002	Pilchards
Barracouta	<i>Thyrsites atun</i>	37 439001	Barracouta
Barramundi	<i>Lates calcarifer</i>	37 310006	Barramundi
Bream, black	<i>Acanthopagrus butcheri</i>	37 353003	Bream, black
Bream, yellowfin	<i>Acanthopagrus australis</i>	37 353004	Bream, yellowfin
Breams	<i>Acanthopagrus butcheri</i> & <i>A. australis</i>	37 353902	
Carp, European	<i>Cyprinus carpio</i>	37 165003	Carp, European
Catfish, freshwater	<i>Tandanus tandanus</i>	37 192006	Catfish, native
Eel, longfin	<i>Anguilla reinhardtii</i>	37 056002	Eel, long-finned (wild)
Eel, southern shortfin	<i>Anguilla australis</i>	37 056001	Eel, short-finned (wild)
Eels, freshwater	<i>Anguilla reinhardtii</i> & <i>A. australis</i>	37 056000	Eels
Flathead, dusky	<i>Platycephalus fuscus</i>	37 296004	Flathead, dusky
Flathead, rock	<i>Platycephalus laevigatus</i>	37 296006	Flathead, rock
Flathead, southern bluespotted	<i>Platycephalus speculator</i>	37 296037	Flathead, yank
Flathead, southern sand	<i>Platycephalus bassensis</i>	37 296003	Flathead, sand
Flathead, tiger	<i>Platycephalus richardsoni</i>	37 296903	Flathead, tiger
Flatheads, other	Family Platycephalidae	37 296000	Flathead, other
Flounder, greenback	<i>Rhombosolea tapirina</i>	37 461003	Flounder, greenback
Garfish, river	<i>Hyporhamphus regularis</i>	37 234012	Garfish, river
Garfish, Southern (Sea)	<i>Hyporhamphus melanochir</i>	37 234001	Garfish, southern
Herring Cale	<i>Olis cyanomelas</i>	37 385001	Herring cale
Leatherjacket	Family Monacanthidae	37 465903	Leatherjackets
Luderick	<i>Girella tricuspidata</i>	37 361007	Luderick
Mackerel, jack	<i>Trachurus declivis</i>	37 337002	Mackerel, jack
Morwong, banded	<i>Cheilodactylus spectabilis</i>	37 377006	Morwong, banded
Morwong, dusky	<i>Dactylophora nigricans</i>	37 377005	Morwong, dusky
Mullet, red	<i>Upeneichthys vlamingii</i>	37 355029	Mullet, red
Mullet, sand	<i>Myxus elongatus</i>	37 381003	Mullet, sand
Mullet, sea	<i>Mugil cephalus</i>	37 381002	Mullet, sea
Mullet, yelloweye	<i>Aldrichetta forsteri</i>	37 381001	Mullet, yellow-eye
Mullet, other	Family Mugilidae	37 381000	Mullet, other
Murray cod	<i>Maccullochella peelii peelii</i>	37 311076	Murray cod
Perch, estuary	<i>Macquaria colonorum</i>	37 311033	Perch, estuary
Perch, golden	<i>Macquaria ambigua</i>	37 311075	Perch, golden
Perch, silver	<i>Bidyanus bidyanus</i>	37 321008	Perch, silver
Salmonids	Family Salmonidae	37 094000	Salmonids
Snapper	<i>Pagrus auratus</i>	37 353001	Snapper
Snook	<i>Sphyraena novaehollandiae</i>	37 382002	Pike, short-finned
Sprat, sandy	<i>Hyperlophus vittatus</i>	37 085005	Sprat, sandy
Tailor	<i>Pomatomus saltatrix</i>	37 334002	Tailor
Trevalla, blue-eye	<i>Hyperoglyphe antarctica</i>	37 445001	Trevalla, blue-eye
Trevally, silver	<i>Pseudocaranx dentex</i>	37 337062	Trevally, silver
Trout, brown	<i>Salmo trutta</i>	37 094004	Trout, brown
Trout, rainbow	<i>Oncorhynchus mykiss</i>	37 094003	Trout, rainbow
Warehou, blue	<i>Serirolella brama</i>	37 445005	Warehou, blue
Whiting, blue weed	<i>Haletta semifasciata</i>	37 385009	Stranger
Whiting, King George	<i>Sillaginodes punctata</i>	37 330001	Whiting, King George
Whiting, school	<i>Sillago flindersi</i>	37 330014	Whiting, school
Wrasse, blue throat	<i>Notolabrus tetricus</i>	37 384003	Wrasse, blue throat
Wrasse, purple	<i>Notolabrus fucicola</i>	37 384021	Wrasse, saddle
Wrasses	Family Labridae	37 384000	Wrasse, unspecified
Teleosts	Class Pisces	37 000000	Other

Marketing names are based on the Codes for Australian Aquatic Biota (CAAB).

Marketing, Scientific and Previously Used Names for Fishery Production

Marketing name	Scientific name	CAAB Code	Previously used species name
Molluscs			Shellfish
Abalone, blacklip	<i>Haliotis rubra rubra</i>	24 038006	Abalone, blacklip
Abalone, greenlip	<i>Haliotis laevigata</i>	24 038004	Abalone, greenlip
Abalones	<i>Haliotis rubra</i> & <i>H. laevigata</i>	24 038000	Abalone
Mussel, blue	<i>Mytilus galloprovincialis</i>	23 220001	Mussel & Mussel, blue
Periwinkle	Class Gastropoda	24 094901	Periwinkles
Scallop	<i>Pecten fumatus</i>	23 270007	Scallop, commercial
Other molluscs (bivalves)	Families Ostreidae & Pectinidae	23 257000 & 23 270000	Other shellfish (bivalves)
Other molluscs	Phylum Mollusca	23 000000	Other
Echinoderms			Cephalopods
Calamari, Southern (squid)	<i>Sepioteuthis australis</i>	23 617005	Calamary, southern
Cuttlefish	<i>Sepia</i> spp	23 607901	Cuttlefishes
Octopus	<i>Octopus</i> spp	23 659901	Octopuses
Squid, Gould's	<i>Nototodarus gouldi</i>	23 636004	Squid, arrow
Squids	<i>Nototodarus gouldi</i> & <i>Sepia</i> spp	"As above"	
Echinoderms			Echinoderms
Black Sea Urchin	<i>Centrostephanus rodgersii</i>	25 211001	Sea urchin, longspine
White Sea Urchin	<i>Heliocidaris erythrogramma</i>	25 247001	Sea urchin, purple
Crustaceans			Crustaceans
Bug (Shovelnose lobster)	<i>Ibacus peronii</i>	28 821901	Balmain bug
Crab, giant	<i>Pseudocarcinus gigas</i>	28 915002	Crab, giant
Crab, sand	<i>Ovalipes australiensis</i>	28 911003	Crab, sand
Crab, velvet	<i>Nectocarcinus tuberculatus</i>	28 911004	Crab, velvet
Crab, (unspecified)	Family Corystidae	28 900000	Crabs
Prawn, eastern king	<i>Melicertus plebejus</i>	28 711052	Prawn, eastern king
Prawn, school	<i>Metapenaeus macleayi</i>	28 711029	Prawns, school
Prawns	<i>Penaeus plebejus</i> & <i>Metapenaeus macleayi</i>	28 711000	
Rock lobster, Southern	<i>Jasus edwardsii</i>	28 820001	Rock lobster, southern
Yabby	<i>Cherax destructor destructor</i>	28 795002	Yabbies
Other crustaceans	Subphylum Crustacea	27 000000	Other
Chondrichthyans			Sharks
Elephantfish	<i>Callorhynchus milii</i>	37 043001	Elephant fish
Shark, angel	<i>Squatina australis</i>	37 024001	Shark, angel
Shark, broadnose	<i>Notorynchus cepedianus</i>	37 005002	Shark, seven-gilled
Shark, gummy	<i>Mustelus antarcticus</i>	37 017001	Shark, gummy
Shark, saw	<i>Pristiophorus cirratus</i> & <i>P. nudipinnis</i>	37 023002 & 37 023001	Shark, saw
Shark, school	<i>Galeorhinus galeus</i>	37 017008	Shark, school
Rays	Class Batoidea	37 990001	Skate
Other chondrichthyans	Family Chondrichthyes	37 990027	Other

Marketing names are based on the Codes for Australian Aquatic Biota (CAAB). For information on names, distribution and images of fish and fillets refer to www.marine.csiro.au/caab.

Aquaculture Production

Introduction

This information bulletin is designed to meet the needs of the aquaculture industry, researchers, Fisheries Victoria, the Victorian Government, the Commonwealth Government, and the United Nations Food and Agricultural Organisation. This publication provides data on the quantity; weight of growout production; and area of water licensed for cultivation within the Victorian aquaculture industry.

Under the Fisheries Act 1995, lodgement of aquaculture production return forms is a condition of the aquaculture licence. Individual returns are collected under Section 146 of the Act and are treated as strictly confidential. The data are released in aggregated form only.

Number of Aquaculture Licences

The Victorian aquaculture industry consists of eight industry sectors with 107 licence holders.

Industry sector	Number of licences ¹				
	2007/08	2008/09	2009/10	2010/11	2011/12
Freshwater Eels	17	17	16	12	12
Salmonids	26	25	22	21	21
Warmwater Finfish (Inland)	37	29	25	23	21
Yabby	23	19	16	15	16
Abalone	18	16	15	15	15
Blue Mussel and Other Molluscs (Bivalves)	48	44	35	24	22
Ornamental Fish	9	8	8	7	10
Other	14	12	16	19	18
Total	192	170	153	136	135 ²

¹Includes hatchery production and growout production; ²multiple licences are held by some licence holders.

Ongrowing and Growout Production (excluding Molluscs)

Industry sector	Fiscal year	Growout	
		Number (^{'000})	Weight (tonnes)
Freshwater eels	2007/08	na ¹	id ²
	2008/09	na	id
	2009/10	na	id
	2010/11	na	id
	2011/12	na	id
Salmonids	2007/08	na	1,309
	2008/09	na	877
	2009/10	na	857
	2010/11	na	985
	2011/12	na	580
Warmwater finfish (inland)	2007/08	na	119
	2008/09	na	144
	2009/10	na	227
	2010/11	na	195
	2011/12	na	127
Yabby	2007/08	na	1
	2008/09	na	2
	2009/10	na	2
	2010/11	na	3
	2011/12	na	5
Ornamental fish	2007/08	4,236	na
	2008/09	3,914	na
	2009/10	3,135	na
	2010/11	3,161	na
	2011/12	2,832	na
Other ³	2007/08	na	id
	2008/09	na	id
	2009/10	na	id
	2010/11	na	id
	2011/12	na	id

¹na, not applicable; ²id, insufficient data to report because there are less than five licence holders (policy requirement to protect commercial confidentiality of data); ³mussels and crustaceans

Ongrowing and Growout Production (Molluscs)

Abalone

Fiscal year	Sold for ongrowing	Growout
	Weight (tonnes)	Weight (tonnes)
2007/08	na ¹	166
2008/09	id ²	209
2009/10	id	id
2010/11	nd ³	id
2011/12	nd	330

Blue Mussel

Fiscal year	Spat	Growout
	Hatchery- produced spat (metre of rope)	Weight (tonnes)
2007/08	na	642
2008/09	id	446
2009/10	id	567
2010/11	id	982
2011/12	id	809

Statewide Aquaculture Total

Fiscal year	Growout
	Weight (tonnes)
2007/08	2,328
2008/09	1,711
2009/10	1,969
2010/11	2,553
2011/12	1,855

¹na, not applicable; ²id, insufficient data to report because there are less than five licence holders (policy requirement to protect commercial confidentiality of data)

Area of Water Licensed for Cultivation - Blue Mussel and Other Molluscs (Bivalves)

From 2008/09, a new production return form for shellfish was introduced.

Industry sector	Fiscal year	Aquaculture Fisheries Reserve				Total
		Flinders	Grassy Point	Clifton Springs	Other ¹	
		Total area (ha)	Total area (ha)	Total area (ha)	Total area (ha)	
Blue Mussel and	2009/10	169.49	42	81	197.93	490.42
Other Molluscs	2010/11	172.49	42	81	196.64	492.13
(Bivalves)	2011/12	166.49	42	81	196.64	486.13

¹Includes production from the Pinnacle Channel, Beaumaris, Dromana, Bates Point and Mount Martha aquaculture fisheries reserves.

