

Sharptooth Lemon Shark, *Negaprion acutidens*

Report Card assessment	Sustainable		
IUCN Red List Australian Assessment	Least Concern	IUCN Red List Global Assessment	Endangered
Assessors	Simpfendorfer, C., Derrick, D., Yuneni, R.R., Maung, A., Utzurrum, J.A.T., Seyha, L., Haque, A.B., Fahmi, Bin Ali, A., D., Bineesh, K.K., Fernando, D., Tanay, D., Vo, V.Q. & Gutteridge, A.N.		
Australian Assessors	Kyne, P.M., Heupel, M.R., White, W.T. & Simpfendorfer, C.A. (Shark Action Plan)		
Report Card Remarks	In Australia, it is taken as minor bycatch in managed fisheries.		

Summary

The Lemon Shark is a large bodied species distributed throughout tropical and subtropical Indo-West and central Pacific waters. In Southeast Asia, it is taken as bycatch in largely unmanaged intensive net and trawl fisheries



Source: CSIRO National Fish Collection. License: CC By Attribution.

throughout much of its distribution. Declines in Lemon Shark abundance in numerous countries have been observed. It is sensitive to localised depletion due to its potentially small habitat range, occupancy of shallow inshore areas, and tendency to occur within estuaries and mangrove habitats that are subject to habitat degradation. Within Australian waters, it is occasionally taken in inshore gillnet fisheries. These fisheries are generally well managed and there is no evidence for declines in the population. Therefore, Lemon Sharks are assessed as Least Concern (IUCN) in Australia (Kyne et al. 2021) and Sustainable (SAFS). From November 2023, the species will be listed on Appendix II of the Convention on International Trade in Endangered Species of Wild Flora and Fauna (CITES).

Distribution

The Lemon Shark is distributed from South Africa to Australia and the western and central Pacific (Compagno 1998). Within Australia, the species is known from the Abrolhos Islands (Western Australia) across the Northern Territory and to Moreton Bay (Queensland) (Last and Stevens 2009).

Stock structure and status

There is currently no information on population size, structure, or trend for Lemon Sharks. It is common in Australia and some areas of the Pacific Ocean.

Fisheries

The Lemon Sharks targeted and taken as bycatch in fisheries throughout much of its global distribution. High fishing pressure has led to significant declines in Lemon Shark abundance throughout Southeast Asia (Blaber et al. 2009, Dulvy et al. 2014). It is highly susceptible to localised

depletion due to its small ranges and shallow water distribution (Stevens 1984, Speed et al. 2011, Gutteridge 2012). Considering its inshore distribution, it is also likely threatened by habitat degradation of mangroves, estuaries, and coral reefs. In Australia, it was taken as a byproduct of northern gillnet fisheries, however some of these fisheries are now inactive and it currently only constitutes a minor component of bycatch in commercial fisheries which are managed (McAuley 2006, Harry et al. 2011, Fletcher and Santoro 2013). There are also likely large areas of unfished habitat, such as within the Great Barrier Reef Marine Park that provide it refuge.

Habitat and biology

The Lemon Shark occurs in inshore and offshore waters to a depth of 90 m. The species associates with coral reefs and lagoons as well as mangrove flats and embayments (Compagno 1998, Gutteridge 2012, Filmalter et al. 2013, Brunnschweiler et al. 2014). Juveniles reside in shallow, inshore reef habitats (Speed et al. 2011). Maximum size is at least 300 cm total length (TL) (Last and Stevens 2009).

Longevity and maximum size	Longevity: unknown Max size: at least 300 cm TL
Age and/or size at maturity (50%)	Both sexes: ~220 cm TL

CAAB Code: 37 018029

Link to IUCN Page: <https://www.iucnredlist.org/species/41836/173435545>

Link to page at Shark References: <http://shark-references.com/species/view/Negaprion-acutidens>

References

- Blaber, S., Dichmont, C.M., White, W.T., Buckworth, R.C., Sadiyah, L., Iskandar, B., Nurhakim, S., Pillans, R.D., Andamari, R., Dharmadi and Fahmi. 2009. Elasmobranchs in southern Indonesian fisheries: the fisheries, the status of the stocks and management options. *Reviews in Fish Biology and Fisheries* 19: 367–391.
- Brunnschweiler, J.M., Abrantes, K.G. and Barnett, A. 2014. Long-Term Changes in Species Composition and Relative Abundances of Sharks at a Provisioning Site. *Plos One* 9 9: e86682.
- Compagno, L.J.V. 1998. Carcharhinidae. In: K.E. Carpenter and V.H. Niem (eds). *FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 2. Cephalopods, crustaceans, holothurians and sharks*. FAO, Rome, pp. 1312-1360.
- Dulvy, N.K., Fowler, S.L., Musick, J.A., Cavanagh, R.D., Kyne, P.M., Harrison, L.R., Carlson, J.K., Davidson, L.N.K., Fordham, S.V., Francis, M.P., Pollock, C.M., Simpfendorfer, C.A., Burgess, G.H., Carpenter, K.E., Compagno, L.J.V., Ebert, D.A., Gibson, C., Heupel, M.R., Livingstone, S.R., Sanciangco, J.C., Stevens, J.D., Valenti, S. and White, W.T. 2014. Extinction risk and conservation of the world's sharks and rays. *eLife* 3: e00590.
- Filmalter, J.D., Dagorn, L. and Cowley, P.D. 2013. Spatial behaviour and site fidelity of the sicklefin lemon shark *Negaprion acutidens* in a remote Indian Ocean atoll. *Marine Biology* 160: 2425–2436.
- Fletcher, W.J. and Santoro, K. 2013. *Status Reports of the Fisheries and Aquatic Resources of Western Australia 2012/13: The State of the Fisheries*. Department of Fisheries, Western Australia
- Gutteridge, A.N. 2012. *Community structure and biology of the elasmobranchs of Hervey Bay, southeast Queensland, Australia*. Centre for Marine Studies, PhD thesis. University of Queensland.
- Harry, A.V., Tobin, A.J., Simpfendorfer, C.A., Welch, D.J., Mapleston, A., White, J., Williams, A.J., and Stapley, J. 2011. Evaluating catch and mitigating risk in a multispecies, tropical, inshore shark fishery within the Great Barrier Reef World Heritage Area. *Marine and Freshwater Research* 62: 71–721.
- Kyne, P.M., Heupel, M.R., White, W.T. and Simpfendorfer, C.A. 2021. *The Action Plan for Australian Sharks and Rays 2021*. National Environmental Science Program, Marine Biodiversity Hub, Hobart
- Last, P.R. and Stevens, J.D. 2009. *Sharks and Rays of Australia*. Second Edition. CSIRO Publishing, Collingwood, Australia.
- McAuley, R. 2006. *Demersal Gillnet and Longline Fisheries Status Report*. In: J.W. Penn, W.J. Fletcher and F. Head (eds), *State of the Fisheries Report*. Department of Fisheries Western Australia, Perth, WA.
- Speed, C.W., Meekan, M.G., Field, I.C., McMahon, C.R., Stevens, J.D., McGregor, F., Huvneers, C., Berger, Y. and Bradshaw, C.J.A. 2011. Spatial and temporal movement patterns of a multi-species coastal reef shark aggregation. *Marine Ecology Progressive Series* 429: 261–275.
- Stevens, J.D. 1984. Life history and ecology of sharks at Aldabra Atoll, Indian Ocean. *Royal Society of London. Proceedings. Biological Sciences*. 222(1226): 79–106.